

Material Safety Data Sheet

Drax SF Ant Gel

SDS # : 6601-A
Revision Date: 2011-03-18
Version 1



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Drax SF Ant Gel

Formula code 6601 (PCP 20478)

Active Ingredient(s) Orthoboric Acid (Boric Acid)

Supplier FMC Corporation
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103
General Information:
Phone: (215) 299-6000
E-Mail: msdsinfo@fmc.com

Emergency telephone number Medical Emergencies:
(800) 331-3148 (U.S.A. & Canada)
(651) 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
(800) 424-9300 (CHEMTREC - U.S.A.)
(703) 527-3887 (CHEMTREC - Collect - All Other Countries)

2. Hazards identification

Appearance Clear amber gel

Physical State gel

Odor Apple

Potential health effects

Principle Routes of Exposure Eye contact, Skin contact, Ingestion.

Acute effects

Eyes May cause slight irritation.

Skin Substance may cause slight skin irritation.

Ingestion Ingestion may cause gastrointestinal discomfort including nausea, vomiting and diarrhea if large amounts are ingested. May cause central nervous system depression.

Chronic effects Contains a known or suspected reproductive toxin.

3. Composition/information on ingredients

Hazardous ingredients

Chemical Name	CAS-No	Weight %
Boric acid	10043-35-3	5
Sucrose	57-50-1	1-5

4. First aid measures

Eye contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

5. Fire-fighting measures**Special hazards arising from the substance or mixture**

Sensitivity to Mechanical Impact	not applicable
Sensitivity to Static Discharge	not applicable

Extinguishing media

Suitable extinguishing media	Carbon dioxide (CO ₂). Foam. Dry chemical. If necessary. Use water spray or fog; do not use straight streams.
------------------------------	---

Advice for fire-fighters

Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit. Isolate fire area. Evaluate downwind.
---	--

NFPA

Health Hazard	1
Flammability	1
Stability	0
Special Hazards	-

6. Accidental release measures

Personal precautions	Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Environmental precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for cleaning up	Sweep up and shovel into suitable containers for disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Dispose of waste as indicated in Section 13.
OTHER INFORMATION	For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

7. Handling and storage

Handling Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal. For personal protection see section 8.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Store in original container only.

8. Exposure controls/personal protection

Exposure guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico
Boric acid 10043-35-3	STEL: 6 mg/m ³ TWA: 2 mg/m ³			
Sucrose 57-50-1	TWA: 10 mg/m ³	TWA: 15 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	Mexico: TWA 10 mg/m ³ Mexico: STEL 20 mg/m ³

Chemical Name	British Columbia	Quebec	Ontario TWAEV	Alberta
Boric acid 10043-35-3	TWA: 2 mg/m ³ STEL: 6 mg/m ³		TWA: 2 mg/m ³ STEL: 6 mg/m ³	
Sucrose 57-50-1	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³

Occupational exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal protective equipment

General Information Clean water should be available for washing in case of eye or skin contamination. Wash hands prior to eating, drinking chewing gum or using tobacco. Shower at the end of the workday.

Respiratory protection For dust, splash, mist or spray exposures wear a filtering mask.

Eye/face protection For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield

Skin and body protection Wear long-sleeved shirt, long pants, socks, shoes, and gloves.

Hand protection Protective gloves

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

9. Physical and chemical properties

Appearance	Clear amber gel
Color	amber
Physical State	gel
Odor	Apple
pH	No information available
Melting Point/Range	No information available
Freezing point	No information available
Boiling Point/Range	100 °C / 212 °F
Flash Point	not applicable
Evaporation rate	not applicable
Autoignition Temperature	not applicable

Vapor pressure	not applicable
Vapor density	No information available
Density	No information available
Specific Gravity	1.0
Bulk density	No information available
Water solubility	Soluble in water
Percent volatile	No information available
Partition coefficient:	not applicable
Autoignition Temperature	not applicable
Viscosity	No information available
Oxidizing properties	not applicable

10. Stability and reactivity

Stability	Stable
Conditions to avoid	Heat, flames and sparks
Materials to avoid	Acetic anhydride, Elemental potassium
Hazardous decomposition products	None known
Hazardous polymerization	Hazardous polymerization does not occur

11. Toxicological information

Acute toxicity

Large amounts of boric acid absorbed into the blood stream from ingestion or skin absorption through damaged skin may cause effects to the central nervous system including dizziness, depression, vomiting, nausea or diarrhea.

Eye contact

May cause slight irritation

Skin contact

May cause slight irritation

Ingestion

Ingestion may cause gastrointestinal discomfort including nausea, vomiting and diarrhea if large amounts are ingested.

Inhalation

Not an expected route of exposure.

LD50 Dermal

> 2000 (rabbit) Boric acid

LD50 Oral

3160 (rat) Boric acid

Chronic Toxicity - Active Ingredient(s)

Chronic Toxicity	Contains a known or suspected reproductive toxin.
Carcinogenicity	Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).
Reproductive toxicity	Animal studies have shown that ingestion of large amounts of Borates over prolonged periods of time cause a decrease in sperm production and testicle size in males.
Developmental Toxicity	Animal studies have shown that ingestion of large amounts of Borates produced developmental effects in fetuses of pregnant animals.
Target Organ Effects	Central nervous system (CNS), Gastrointestinal tract (GI), Reproductive System.

12. Ecological information

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Boric acid				EC50 115 - 153 mg/L 48 h

Environmental Fate

Chemical Name	log Pow
Boric acid	-0.757

13. Disposal considerations

Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.
Contaminated packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. Transport information

DOT Proper shipping name	not regulated Orthoboric Acid
TDG	not regulated
ICAO/IATA	not regulated
IMDG/IMO	not regulated

15. Regulatory information**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	U.S. - TSCA (Toxic Substances Control Act) - Section 8(a) - Chemical-Specific Reporting and Recordkeeping
Sucrose	Partially exempt chemical substance under 40 CFR 710.46(b)(2)

International Regulations

Mexico - Grade

No information available

Chemical Name	Carcinogen Status	Mexico
Sucrose		Mexico: TWA 10 mg/m ³ Mexico: STEL 20 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2A Very toxic materials



16. Other information

Revision Date: 2011-03-18
Reason for revision: Initial Release.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Logo - Trademark of FMC Corporation

© 2011 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet